



## Concealed hinge, Häfele Metalla 510 A 94°, full overlay mounting, for refrigerator doors

Cup fixing: For screw fixing, cup fixing: For screw fixing, drilling pattern: 48/6 mm

Art. no. 329.36.601

### Article details

- extremely flat design specially designed for refrigerator door applications

Area of application	For refrigerator doors
Function	With automatic closing spring
Concealed hinge version	full overlay
Crank type	Cranked
For door material	wood
Door processing for assembly	with cup drilling
Product Material	Steel
Colour/finish	nickel plated
Opening angle	94°
Cup drilling depth	11.0 mm
Cup drilling Ø	35.0 mm
Cup fixing	for screw fixing
Adjustment facility	Side adjustment <4.5 mm, Height adjustment ±2 mm, depth adjustment with Metalla 510 A mounting plate +2.8 mm
Installation	Door on cabinet with slide-on system A

### Order reference

Only suitable for all Metalla 510 A mounting plates.  
Drilling pattern 45/9.5 available by request.



Technical data attributes

Door overlay mm															
7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	
									3	4	5	6	7	8	0
						3	4	5	6	7	8	9			3
			3	4	5	6	7	8	9						6
3	4	5	6	7	8	9									9
Distance to cup E mm								Mounting plate distance mm							

Additional information attributes

only suitable for Metalla 510 A mounting plates



